

F	Rover	Traveler	Rambler	Tour II	Sportster	Tandem Pro	Rover Tandem
Frame Material	Hi-Ten Steel	4130 Chromoly Steel	4130 Chromoly Steel	4130 Chromoly Steel	6061 T6 Heat Treated Aluminium	4130 Chromoly Steel	Hi-Ten Steel
Steering System	Direct	Direct	Direct	Linkage	Direct	Linkage	Direct
Seat Type	Chromoly Steel Frame	6061 T6 Aluminium Frame	6061 T6 Aluminium Frame	6061 T6 Aluminium Frame	6061 T6 Aluminium Frame	6061 T6 Aluminium Frame	Chromoly Steel Frame
Fore/Aft Seat Adjustment	11"	6"	6"	8"	2.5"	3" Front 7" Rear	11.5"
Seat Recline**	35-70°	40-60°	40-70°	45-70°	44-70°	50-70° Front 40-70° Rear	50-65°
Boom Type	Adjustable Boom	Adjustable Boom	Adjustable Boom	3 Sizes	Adjustable Boom	3 Sizes	Adjustable Boom
Wheelbase Length	40"	44"	45"	41"	42"	92"	84.25"
Overall Length (medium)	67.5"	73"	74"	71"	80"	122"	113.25"
Track Width	30"	30.5"	30.5"	31.5"	31.5"	31"	30.25"
Overall Width	33"	34"	34"	34.5"	35"	34"	33"
Folded Dimensions	N/A	42x32x22	N/A	N/A	N/A	N/A	N/A
Bottom Bracket Height	13"	13"	13"	13.5"	15"	14"	12.5"
Seat Height	16.5"	15.5"	15.5"	12"	15"	11"	16"
Total Weight (lbs.)	47(i8) 48(n330) 44(x8)	45(n380) 43(x24) 43(GT)	41.5(n380) 39.5(x24) 40(x30) 43(All Road)	38(Base) 38.5(GT)	38 32(SL)	64	70
Combined Load Limit (lbs.)	400	300	300	300	250	450	500
Turning Dimensions*	9' 11" Diameter	9'6" Diameter	9' 11" Diameter	12' Diameter	9' 11" Diameter	36' Diameter	16' 3" Diameter
Component Levels Available	i8 n330 x8	x24 n380 GT	n380 x24 x30 All Road	Base GT	x16 x20 SL	Tandem Pro	i8

COMPONENT GROUPS

	x8	i8	n330	n380	All Road	Base	GT
Drive System	Derailleur	Internal	Internal	Internal	Derailleur	Derailleur	Derailleur
Number of Speeds (Stock)	8	8	CVT	CVT	24	24	27
Gear Inch Range	24-66	25-80	20-65	20-75	24-114(24")	19-90 (20") 26-123 (26")	18-90 (20") 23-120 (26")
Pedals Type	Comfort Pedal	Comfort Pedal	Comfort Pedal	Comfort Pedal	Comfort Pedal	Standard Platform	Standard Platform
Crankset/Rings	Alloy Black 170mm 38t	Alloy Silver 170mm 32t	Alloy Black 170mm 42t	Alloy Black 170mm 42t	Truvativ Touro Triple 170mm 30/42/52t	FSA Tempo Triple 170mm 30/42/52t	FSA Vero Hollow Triple 170mm 30/42/52t
Bottom Bracket	RPM Sealed Square Taper	RPM Sealed Square Taper	RPM Sealed Square Taper	RPM Sealed Square Taper	RPM Sealed Square Taper	RPM Sealed Square Taper	RPM Sealed Square Taper
Chain Type	KMC Z72 8 Speed	KMC Z72 8 Speed	KMC Z72 8 Speed	KMC Z72 8 Speed	KMC Z72 8 Speed	KMC Z72 8 Speed	KMC Z99 9 Speed
Front Derailleur	N/A	N/A	N/A	N/A	microSHIFT Triple	microSHIFT FD-R438 Triple	microSHIFT FD-439 Triple
Rear Derailleur	microSHIFT 8 Sp	N/A	N/A	N/A	microSHIFT 8 Sp	microSHIFT RD-M45L 8 Sp	Shimano SLX M662 or Sram X7
Cassette Size	Sram PG-830 11-30 8 Speed	25t Cog	20t Cog	20t Cog	Sram PG-830 11- 30 8 Speed	Sram PG-830 11-30 8 Speed	Sram PG-950 11-32 9 Speed
Steering Stack	Nylon Bushing	Nylon Bushing	Nylon Bushing	Hybrid Bushing/Bearing	Hybrid Bushing/Bearing	Linkage, Nylon Bushing, Hybrid	Linkage, Nylon Bushing, Hybrid
Shifters	microSHIFT Twist	Twist shifter	NuVinci CVT Shifter	NuVinci CVT Shifter	microSHIFT Mezzo Trigger	microSHIFT DS85-8 Twist	Sram Attack or SRAM X7 Gripshift
Brake Levers	Promax Linear Pull, Locking	Promax Linear Pull, Locking	Promax Linear Pull, Locking	Promax Linear Pull, Locking	Promax Linear Pull, Locking	Promax Linear Pull, Locking	Promax Linear Pull, Locking
Brake Set	Alhonga Mechanical	Alhonga Mechanical	Alhonga Mechanical	Alhonga Mechanical	Alhonga Mechanical	Alhonga Mechanical	Avid BB7 Mechanical
Wheel Set	TerraTrike Silver Single Wall	TerraTrike Silver Single Wall	TerraTrike Black Single Wall	TerraTrike Black Single Wall	Terra Trike Black Double Wall	TerraTrike Silver Single Wall	TerraTrike Black Double Wall
Tires/Size	Schwalbe Road Cruiser 20 X 1.75	Schwalbe Road Cruiser 20 X 1.75	Schwalbe Road Cruiser 20 X 1.75	Schwalbe Road Cruiser 20 X 1.75	Schwalbe Black Jack 24 X 1.90	Schwalbe Road Cruiser 20 X 1.75	Schwalbe Marathon 20 X 1.5
Available On These Frame Models	Rover	Rover Rover Tandem	Rover	Traveler Rambler	Rambler	Traveler Rambler Tour II Sportster	Traveler Rambler Tour II Sportster

COMPONENT GROUPS cont.

	x16	x20	x24	x30	SL	Tandem Pro
Drive System	Derailleur	Derailleur	Derailleur	Derailleur	Derailleur	Derailleur
Number of Speeds (Stock)	16	20	24	30	20	30
Gear Inch Range	27-106	24-116	19-90 (20") 26-123 (26")	18-90 (20") 23-120 (26")	25-121 (26")	18-90
Pedals Type	Comfort Pedal	Comfort Pedal	Comfort Pedal	Comfort Pedal	None	Comfort Pedal
Crankset/Rings	FSA Tempo Double 165mm 34/50t	FSA Tempo Double 165mm 34/50t	Truvativ Touro Triple 170mm 30/42/52t	FSA Gossamer Triple 170mm 30/39/52t	FSA SL-K Light Carbon Double 165mm 36/52t	FSA Gossamer MegaExo 170mm 30/42/52t
Bottom Bracket	RPM Sealed Square Taper	Integrated MegaExo	RPM Sealed Square Taper	Integrated MegaExo	Integrated MegaExo	Integrated MegaExo
Chain Type	KMC Z72 8 Speed	KMC X10 10 Speed	KMC Z72 8 Speed	KMC X10 10 Speed	YBN Hollow 10 Speed	KMC X10 10 Speed
Front Derailleur	microSHIFT Double	microSHIFT Double	microSHIFT Triple	microSHIFT Triple	microSHIFT Double	microSHIFT Triple
Rear Derailleur	microSHIFT 8 Sp	microSHIFT 10 Sp	microSHIFT 8 Sp	microSHIFT 10 Sp	Sram X0	microSHIFT 10 Sp
Cassette Size	microSHIFT 12-32 8 Speed	microSHIFT 11-36 10 Speed	Sram PG-830 11-30 8 Speed	microSHIFT 11-32 10 Speed	Sram PG-1070 11- 36 10 Speed	microSHIFT 11-32 10 Speed
Steering Stack	Hybrid Bushing/Bearing	Hybrid Bushing/Bearing	Hybrid Bushing/Bearing	Hybrid Bushing/Bearing	Hybrid Bushing/Bearing	Bronze Bushing & Kingpin
Shifters	microSHIFT Mezzo Trigger	microSHIFT XLE Trigger	microSHIFT Mezzo Trigger	microSHIFT XLE Trigger	Sram X0 Gripshift	microSHIFT Bar End
Brake Levers	Promax Linear Pull, Locking	Promax Linear Pull, Locking	Promax Linear Pull, Locking	Promax Linear Pull, Locking	Avid Speed Dial 7	Promax Linear Pull, Locking
Brake Set	Alhonga Mechanical	Avid BB7 Mechanical	Alhonga Mechanical	Avid BB7 Mechanical	Avid BB7 Mechanical	Avid BB7 Mechanical
Wheel Set	TerraTrike Silver Single Wall	Terra Trike Black Double Wall	TerraTrike Silver Single Wall	TerraTrike Black Double Wall	Velocity Aeroheat w/ bladed spokes	Velocity Aeroheat
Tires/Size	Schwalbe Road Cruiser 20 X 1.75(Front) 26 X 1.5(Rear)	Schwalbe Marathon 20 X 1.5(Front) 26 X 1.5(Rear)	Schwalbe Road Cruiser 20 X 1.75	Schwalbe Marathon 20 X 1.5	Schwalbe ONE 20X0.9(Front) 26X0.9(Rear)	Schwalbe Marathon 20 X 1.5
Available On These Frame Models	Sportster	Sportster	Traveler Rambler Sportster	Rambler Sportster	Sportster	Tandem Pro

All Dimensions In Inches. Specifications and Components Subject To Change Without Notice.

* Turning Dimensions are from the centerline of the trike. NOTE: The fore or aft setup of the seat may change the turning dimensions slightly.

** Seat Fore/Aft adjustment may limit recline range