

	Rover	Traveler	Rambler	Gran Turismo (GT)	Sportster	Tandem Pro	Rover Tandem
<b>Frame Material</b>	Hi-Ten Steel	4130 Chromoly Steel	4130 Chromoly Steel	4130 Chromoly Steel	6061 T6 Heat Treated Aluminium	4130 Chromoly Steel	Hi-Ten Steel
<b>Steering System</b>	Direct	Direct	Direct	Direct	Direct	Linkage	Direct
<b>Seat Type</b>	Chromoly Steel Frame	6061 T6 Aluminium Frame	6061 T6 Aluminium Frame	6061 T6 Aluminium Frame	6061 T6 Aluminium Frame	6061 T6 Aluminium	Chromoly Steel Frame
<b>Fore/Aft Seat Adjustment</b>	11"	6"	6"	2.5"	2.5"	3" Front 7" Rear	11.5"
<b>Seat Recline**</b>	35-70°	40-60°	40-70°	40-70°	44-70°	50-70° Front 40-70° Rear	50-65°
<b>Boom Type</b>	Adjustable Boom	Adjustable Boom	Adjustable Boom	Adjustable Boom	Adjustable Boom	3 Sizes	Adjustable Boom
<b>Wheelbase Length</b>	40"	44"	45"	44"	42"	92"	84.25"
<b>Overall Length (medium)</b>	67.5"	73"	74"	76"	80"	122"	113.25"
<b>Track Width</b>	30"	30.5"	30.5"	29.5"	30"	31"	30.25"
<b>Overall Width</b>	33"	34"	34"	33"	33"	34"	
<b>Folded Dimensions</b>	N/A	42x32x22	N/A	N/A	N/A	N/A	N/A
<b>Bottom Bracket Height</b>	13"	13"	13"	15.5"	15"	14"	12.5"
<b>Seat Height</b>	16.5"	15.5"	15.5"	15"	15"	11"	16"
<b>Total Weight (lbs.)</b>	47(i8) 48(n330) 44(x8)	45(n380) 40(x16)	41.5(n380) 40(x16, x20) 43(All Road) 64(EVO)	42	38 32(SL)	64	70
<b>Combined Load Limit (lbs.)</b>	400	300	300	300	250	450	500
<b>Turning Dimensions*</b>	9' 11" Diameter	9'6" Diameter	9' 11" Diameter	12' Diameter	9' 11" Diameter	36' Diameter	16' 3" Diameter
<b>Component Levels Available</b>	i8 n330 x8	n380 x16	n380 x16 x20 All Terrain EVO	x16 x20	x16 x20 SL	Tandem Pro	i8

## COMPONENT GROUPS

	x8	i8	n330	n380	x16
<b>Drive System</b>	Derailleur	Internal	Internal	Internal	Derailleur
<b>Number of Speeds (Stock)</b>	8	8	CVT	CVT	16
<b>Gear Inch Range</b>	24-66	25-80	20-65	20-75	27-106
<b>Pedals Type</b>	Comfort Pedal	Comfort Pedal	Comfort Pedal	Comfort Pedal	Comfort Pedal
<b>Crankset/Rings</b>	Alloy Black 170mm 38t	Alloy Silver 170mm 32t	Alloy Black 170mm 42t	Alloy Black 170mm 42t	FSA Tempo Double 165mm 34/50t
<b>Bottom Bracket</b>	RPM Sealed Square Taper	RPM Sealed Square Taper	RPM Sealed Square Taper	RPM Sealed Square Taper	RPM Sealed Square Taper
<b>Chain Type</b>	KMC Z72 8 Speed	KMC Z72 8 Speed	KMC Z72 8 Speed	KMC Z72 8 Speed	KMC Z72 8 Speed
<b>Front Derailleur</b>	N/A	N/A	N/A	N/A	microSHIFT Double
<b>Rear Derailleur</b>	microSHIFT 8 Sp	N/A	N/A	N/A	microSHIFT 8 Sp
<b>Cassette Size</b>	Sram PG-830 11-30 8 Speed	25t Cog	20t Cog	20t Cog	microSHIFT 12-32 8 Speed
<b>Steering Stack</b>	Nylon Bushing	Nylon Bushing	Nylon Bushing	Hybrid Bushing/Bearing	Hybrid Bushing/Bearing
<b>Shifters</b>	microSHIFT Twist	Twist shifter	NuVinci CVT Shifter	NuVinci CVT Shifter	microSHIFT Mezzo Trigger
<b>Brake Levers</b>	Promax Linear Pull, Locking	Promax Linear Pull, Locking	Promax Linear Pull, Locking	Promax Linear Pull, Locking	Promax Linear Pull, Locking
<b>Brake Set</b>	Alhonga Mechanical	Alhonga Mechanical	Alhonga Mechanical	Alhonga Mechanical	Alhonga Mechanical
<b>Wheel Set</b>	TerraTrike Silver Single Wall	TerraTrike Silver Single Wall	TerraTrike Black Single Wall	TerraTrike Black Single Wall	TerraTrike Silver Single Wall
<b>Tires/Size</b>	Schwalbe Road Cruiser 20 X 1.75	Schwalbe Road Cruiser 20 X 1.75	Schwalbe Road Cruiser 20 X 1.75	Schwalbe Road Cruiser 20 X 1.75	Schwalbe Road Cruiser 20 X 1.5(Front) 24 X 1.5(Rear) 26 X 1.5(Rear)
<b>Available On These Frame Models</b>	Rover	Rover Rover Tandem	Rover	Traveler Rambler	Sportster Gran Turismo

## COMPONENT GROUPS cont.

	x20	All Terrain	SL	Tandem Pro	EVO
<b>Drive System</b>	Derailleur	Derailleur	Derailleur	Derailleur	Derailleur
<b>Number of Speeds (Stock)</b>	20	24	20	30	8
<b>Gear Inch Range</b>	24-116	24-114(24")	25-121 (26")	18-90	28-75
<b>Pedals Type</b>	Comfort Pedal	Comfort Pedal	None	Comfort Pedal	Comfort Pedal
<b>Crankset/Rings</b>	FSA Tempo Double 165mm 34/50t	Truvativ Touro Triple 170mm 30/42/52t	FSA SL-K Light Carbon Double 165mm 36/52t	FSA Gossamer MegaExo 170mm 30/42/52t	Bosch Active Line Plus 250W motor 170mm 46t
<b>Bottom Bracket</b>	Integrated MegaExo	RPM Sealed Square Taper	Integrated MegaExo	Integrated MegaExo	RPM Sealed Square Taper
<b>Chain Type</b>	KMC X10 10 Speed	KMC Z72 8 Speed	YBN Hollow 10 Speed	KMC X10 10 Speed	KMC Z72 8 Speed
<b>Front Derailleur</b>	microSHIFT Double	microSHIFT Triple	microSHIFT Double	microSHIFT Triple	microSHIFT Triple
<b>Rear Derailleur</b>	microSHIFT 10 Sp	microSHIFT 8 Sp	Sram X0	microSHIFT 10 Sp	microSHIFT 8 Sp
<b>Cassette Size</b>	microSHIFT 11-36 10 Speed	Sram PG-830 11-30 8 Speed	Sram PG-1070 11-36 10 Speed	microSHIFT 11-32 10 Speed	Sram PG-830 11-30 8 Speed
<b>Steering Stack</b>	Hybrid Bushing/Bearing	Hybrid Bushing/Bearing	Hybrid Bushing/Bearing	Bronze Bushing & Kingpin	Hybrid Bushing/Bearing
<b>Shifters</b>	microSHIFT XLE Trigger	microSHIFT Mezzo Trigger	Sram X0 Gripshift	microSHIFT Bar End	microSHIFT XCD
<b>Brake Levers</b>	Promax Linear Pull, Locking	Promax Linear Pull, Locking	Avid Speed Dial 7	Promax Linear Pull, Locking	Promax Linear Pull, Locking
<b>Brake Set</b>	Avid BB7 Mechanical	Alhonga Mechanical	Avid BB7 Mechanical	Avid BB7 Mechanical	Avid BB7 Mechanical
<b>Wheel Set</b>	Terra Trike Black Double Wall	Terra Trike Black Double Wall	Velocity Aeroheat w/ bladed spokes	Velocity Aeroheat	Terra Trike Black Double Wall
<b>Tires/Size</b>	Schwalbe Marathon 20 X 1.5(Front) 24 X 1.5(Rear) 26 X 1.5(Rear)	Schwalbe Black Jack 24 X 1.90	Schwalbe ONE 20X0.9(Front) 26X0.9(Rear)	Schwalbe Marathon 20 X 1.5	Schwalbe Energizer 20x1.75
<b>Available On These Frame Models</b>	Sportster Gran Turismo	Rambler	Sportster	Tandem Pro	Rambler

All Dimensions In Inches. Specifications and Components Subject To Change Without Notice.

\* Turning Dimensions are from the centerline of the trike. NOTE: The fore or aft setup of the seat may change the turning dimensions slightly.

\*\* Seat Fore/Aft adjustment may limit recline range